



## Anti-Kinectin autoantibodies

### Literature

Feng XG, Ye S, Lu Y, Xu XJ, Gu YY, Shen N, Ye P, Cheng FP, Wang AM, Chen SL: Antikinectin autoantibody in Behçet's disease and several other autoimmune connective tissue diseases. *Clin Exp Rheumatol* (2007); 25(4 Suppl45): S80 - 85 (PMID: 17949557).

Hirano N, Butler MO, Guinan EC, Nadler LM, Kojima S: Presence of anti-kinectin and anti-PMS1 antibodies in Japanese aplastic anaemia patients. *Br J Haematol* (2005); 128(2): 221 - 223 (PMID: 15638857).

Hirano N, Butler MO, Von Bergwelt-Baildon MS, Maecker B, Schultze JL, O'Connor KC, Schur PH, Kojima S, Guinan EC, Nadler LM: Autoantibodies frequently detected in patients with aplastic anemia. *Blood* (2003); 102(13): 4.567 - 4.575 (PMID: 12947009).

Lu Y, Ye P, Chen SL, Tan EM, Chan EK: Identification of kinectin as a novel Behçet's disease autoantigen. *Arthritis Res Ther* (2005); 7(5): R1.133 - 1.139 (PMID: 16207330).

English text version in progress.

► Click the flags on the right of the blue title line for German or Italian text versions.