



Autoanticorpi anti-calpastatina

Indicazioni

► Artrite reumatoide. Anticorpi rivolti verso diverse specificità.

vedi

► Autoanticorpi associati all'artrite reumatoide

Prevalenza

Malattia	Frequenze [%]	Autori
Artrite reumatica	15 - 82 (41)	2, 7, 10, 1, 16, 21, 26, 29
Artrite reumatica giovanile	10	29
Sindrome di Sjögren	0 - 19	21, 29
Lupus eritematoso sistemico	9 - 27 (15)	10, 16, 19, 21, 26, 29
Sclerosi sistemica	11 - 38 (24)	16, 20, 26
Sindrome di sovrapposizione	29	16
Dermatomiosite	13 - 24 (19)	16, 26
Polimiosite	13 - 24 (19)	16, 26
Osteocondrosi	8	10
Psoriasi	20	15
Spondilite anchilosante	6	29

Bibliografia

- 1 Cuzzocrea S, McDonald MC, Mazzon E, Siriwardena D, Serraino I, Dugo L, Britti D, Mazzullo G, Caputi AP, Thiernemann C: Calpain inhibitor I reduces the development of acute and chronic inflammation. *Am J Pathol* (2000); 157(6): 2.065 - 2.079 (PMID: [11106579](#)).
- 2 Després N, Talbot G, Plouffe B, Boire G, Ménard HA: Detection and expression of a cDNA clone that encodes a polypeptide containing two inhibitory domains of human calpastatin and its recognition by rheumatoid arthritis sera. *J Clin Invest* (1995); 95(4): 1.891 - 1.896 (PMID: [7706496](#)).
- 3 Emori Y, Kawasaki H, Imajoh S, Imahori K, Suzuki K: Endogenous inhibitor for calcium-dependent cysteine protease contains four internal repeats that could be responsible for its multiple reactive sites. *Proc Natl Acad Sci* (1987); 84(11): 3.590 - 3.594 (PMID: [3035539](#)).
- 4 Fukui I, Toyohara H, Ito K, Hamakubo T, Murachi T: Molecular and catalytic characterization of intact heterodimeric and derived monomeric calpains isolated under different conditions from pig polymorphonuclear leukocytes. *Biochemistry* (1988); 27(9): 3.260 - 3.267 (PMID: [2839229](#)).
- 5 Fujimori Y, Shimizu K, Suzuki K, Nakagawa Y, Yamamoto S, Yamamuro T: Immunohistochemical demonstration of calcium-dependent cysteine proteinase (calpain) in collagen-induced arthritis in mice. *Z Rheumatol* (1994); 53(2): 72 - 75 (PMID: [8023588](#)).
- 6 Fushimi K, Nakashima S, Banno Y, Akaike A, Takigawa M, Shimizu K: Implication of prostaglandin E(2) in TNF-alpha-induced release of m-calpain from HCS-2/8 chondrocytes. Inhibition of m-calpain release by NSAIDs. *Osteoarthritis Cartilage* (2004); 12(11): 895 - 903 (PMID: [15501405](#)).



Autoanticorpi anti-calpastatina

- 7** Goldbach-Mansky R, Lee J, McCoy A, Hoxworth J, Yarboro C, Smolen JS, Steiner G, Rosen A, Zhang C, Ménard HA, Zhou ZJ, Palosuo T, Van Venrooij WJ, Wilder RL, Klippel JH, Schumacher HR Jr, El-Gabalawy HS: Rheumatoid arthritis associated autoantibodies in patients with synovitis of recent onset. *Arthritis Res* (2000); 2(3): 236 - 243 (PMID: [11056669](#)).
- 8** Goll DE, Thompson VF, Li H, Wei W, Cong J: The calpain system. *Physiol Rev* (2003); 83(3): 731 - 801 (PMID: [12843408](#)).
- 9** Hao LY, Kameyama A, Kuroki S, Takano J, Takano E, Maki M, Kameyama M: Calpastatin domain L is involved in the regulation of L-type Ca²⁺ channels in guinea pig cardiac myocytes. *Biochem Biophys Res Commun* (2000); 279(3): 756 - 761 (PMID: [11162425](#)).
- 10** Iwaki-Egawa S, Matsuno H, Yudoh K, Nakazawa F, Miyazaki K, Ochiai A, Hirohata S, Shimizu M, Watanabe Y: High diagnostic value of anticalpastatin autoantibodies in rheumatoid arthritis detected by ELISA using human erythrocyte calpastatin as antigen. *J Rheumatol* (2004); 31(1): 17 - 22 (PMID: [14705213](#)).
- 11** Lackner KJ, Schlosser U, Lang B, Schmitz G: Autoantibodies against human calpastatin in rheumatoid arthritis: epitope mapping and analysis of patient sera. *Br J Rheumatol* (1998); 37(11): 1.164 - 1.171 (PMID: [9851263](#)).
- 12** Ma H, Yang HQ, Takano E, Lee WJ, Hatanaka M, Maki M: Requirement of different subdomains of calpastatin for calpain inhibition and for binding to calmodulin-like domains. *J Biochem*. 1993 May;113(5):591-9. PubMed PMID: [8340353](#).
- 13** Maki M, Takano E, Mori H, Kannagi R, Murachi T, Hatanaka M: Repetitive region of calpastatin is a functional unit of the proteinase inhibitor. *Biochem Biophys Res Commun*. 1987 Feb 27;143(1):300-8. PubMed PMID: [3030319](#).
- 14** Maki M, Takano E, Mori H, Sato A, Murachi T, Hatanaka M: All four internally repetitive domains of pig calpastatin possess inhibitory activities against calpains I and II. *FEBS Lett* (1987); 223(1): 174 - 180 (PMID: [2822479](#)).
- 15** Matsushita Y, Shimada Y, Kawara S, Takehara K, Sato S: Autoantibodies directed against the protease inhibitor calpastatin in psoriasis. *Clin Exp Immunol* (2005); 139(2): 355 - 362 (PMID: [15654835](#)).
- 16** Mimori T, Suganuma K, Tanami Y, Nojima T, Matsumura M, Fujii T, Yoshizawa T, Suzuki K, Akizuki M: Autoantibodies to calpastatin (an endogenous inhibitor for calcium-dependent neutral protease, calpain) in systemic rheumatic diseases. *Proc Natl Acad Sci* (1995); 92(16): 7.267 - 7.271 (PMID: [7638179](#)).
- 17** Mucsi Z, Hudecz F, Hollósi M, Tompa P, Friedrich P: Binding-induced folding transitions in calpastatin subdomains A and C. *Protein Sci* (2003); 12(10): 2.327 - 2.336 (PMID: [14500891](#)).
- 18** Pontremoli S, Melloni E: The role of calpain and protein kinase C in activation of human neutrophils. *Prog Clin Biol Res* (1988); 282: 195 - 208 (PMID: [2853870](#)).
- 19** Salle V, Vittecoq O, Jouen-Beades F, Ménard JF, Ducroix JP, Godin M, Le Loët X, Tron F: Autoantibodies recognizing the 27 carboxy-terminal amino acids of calpastatin are associated with secondary Sjögren syndrome in systemic lupus erythematosus. *Lupus* (2004); 13(10): 800 - 804 (PMID: [15540513](#)).



Autoanticorpi anti-calpastatina

- 20** Sato S, Hasegawa M, Nagaoka T, Takamatsu Y, Yazawa N, Ihn H, Kikuchi K, Takehara K: Autoantibodies against calpastatin in sera from patients with systemic sclerosis. *J Rheumatol* (1998); 25(11): 2.135 - 2.139 (PMID: [9818655](#)).
- 21** Saulot V, Vittecoq O, Salle V, Drouot L, Legoedec J, Le Loët X, Godin M, Ducroix JP, Ménard JF, Tron F, Gilbert D: Autoantibodies directed against the amino-terminal domain I of human calpastatin (ACAST-DI Ab) in connective tissue diseases. High levels of ACAST-DI Ab are associated with vasculitis in lupus. *J Autoimmun* (2002); 19(1-2): 55 - 61 (PMID: [12367559](#)).
- 22** Schlosser U, Lackner KJ, Scheckenhofer C, Spannagl M, Spengel FA, Hahn G, Lang B, Schmitz G: Autoantibodies against the protease inhibitor calpastatin: a new risk factor for venous thrombosis? *Thromb Haemost* (1997); 77(1): 11 - 13 (PMID: [9031441](#)).
- 23** Suzuki K, Saido TC, Hirai S: Modulation of cellular signals by calpain. *Ann N Y Acad Sci* (1992); 674: 218 - 227 (PMID: [1337690](#)).
- 24** Szomor Z, Shimizu K, Fujimori Y, Yamamoto S, Yamamuro T: Appearance of calpain correlates with arthritis and cartilage destruction in collagen induced arthritic knee joints of mice. *Ann Rheum Dis* (1995); 54(6): 477 - 483 (PMID: [7632090](#)).
- 25** Szomor Z, Shimizu K, Yamamoto S, Yasuda T, Ishikawa H, Nakamura T: Externalization of calpain (calcium-dependent neutral cysteine proteinase) in human arthritic cartilage. *Clin Exp Rheumatol* (1999); 17(5): 569 - 574 (PMID: [10544840](#)).
- 26** Takada R, Matsumoto M, Yosida M, Nojima T, Hirakata M, Ohosone Y, Mimori T: Detection of isotype-specific autoantibodies to calpastatin in sera from patients with rheumatic diseases using heat-treated HeLa cell extract as an antigen source for immunoblotting. *Nihon Rinsho Meneki Gakkai Kaishi* (1998); 21(4): 150 - 158. Japanese. (PMID: [9793376](#)).
- 27** Takano E, Ma H, Yang HQ, Maki M, Hatanaka M: Preference of calcium-dependent interactions between calmodulin-like domains of calpain and calpastatin subdomains. *FEBS Lett* (1995); 362(1): 93 - 97 (PMID: [7698360](#)).
- 28** Takano J, Kawamura T, Murase M, Hitomi K, Maki M: Structure of mouse calpastatin isoforms: implications of species-common and species-specific alternative splicing. *Biochem Biophys Res Commun* (1999); 260(2): 339 - 345 (PMID: [10403772](#)).
- 29** Vittecoq O, Salle V, Jouen-Beades F, Krzanowska K, Ménard JF, Gayet A, Fardellone P, Tauveron P, Le Loët X, Tron F: Autoantibodies to the 27 C-terminal amino acids of calpastatin are detected in a restricted set of connective tissue diseases and may be useful for diagnosis of rheumatoid arthritis in community cases of very early arthritis. *Rheumatology* (2001); 40(10): 1.126 - 1.134 (PMID: [11600742](#)).
- 30** Wang und Yuen 1994 Wang KK, Yuen PW: Calpain inhibition: an overview of its therapeutic potential. *Trends Pharmacol Sci* (1994); 15(11): 412 - 419 (PMID: [7855906](#)).