



Autoanticorpi anti-CUZD1

Sinonimo CUB and zona pellucida-like domain-containing protein 1

Prevalenza Morbo di Crohn

Antigene Gene: *CUZD1*; Chromosom 10q26.13; Q86UP6; 68,15 kDa

- Bibliografia**
- Liaskos C, Spyrou V, Athanasiou LV, Orfanidou T, Mavropoulos A, Rigopoulou EI, Amiridis GS, Shoenfeld Y, Billinis C, Bogdanos DP: Crohn's disease-specific anti-CUZD1 pancreatic antibodies are absent in ruminants with paratuberculosis. *Clin Res Hepatol Gastroenterol* (2015); 39(3): 384 - 390 (PMID: [25575461](#)).
- Papp M, Lakatos PL: Serological studies in inflammatory bowel disease: how important are they? *Curr Opin Gastroenterol* (2014); 30(4): 359 - 634 (PMID: 24811052).
- Prassas I, Brinc D, Farkona S, Leung F, Dimitromanolakis A, Chrystoja CC, Brand R, Kulasingham V, Blasutig IM, Diamandis EP: False biomarker discovery due to reactivity of a commercial ELISA for CUZD1 with cancer antigen CA125. *Clin Chem* (2014); 60(2): 381 - 388 (PMID: [24097894](#)).
- Liaskos C, Rigopoulou EI, Orfanidou T, Bogdanos DP, Papandreou CN: CUZD1 and anti-CUZD1 antibodies as markers of cancer and inflammatory bowel diseases. *Clin Dev Immunol* (2013); 2013: 968041 (PMID: [23710207](#)).
- Roggenbuck D, Bogdanos D, Conrad K: Loss of tolerance to one or two major targets in Crohn's disease or just cross-reactivity? *J Crohns Colitis* (2013); 7(7): e273-e274 (PMID: [23337370](#)).
- Komorowski L, Teegen B, Probst C, Aulinger-Stöcker K, Sina C, Fellermann K, Stöcker W: Autoantibodies against exocrine pancreas in Crohn's disease are directed against two antigens: the glycoproteins CUZD1 and GP2. *J Crohns Colitis* (2013); 7(10): 780 - 790 (PMID: [23140841](#)).
- Bogdanos DP, Rigopoulou EI, Smyk DS, Roggenbuck D, Reinhold D, Forbes A, Laass MW, Conrad K: Diagnostic value, clinical utility and pathogenic significance of reactivity to the molecular targets of Crohn's disease specific-pancreatic autoantibodies. *Autoimmun Rev* (2011); 11(2): 143 - 148 (PMID: [21983481](#)).