



Autoanticorpi anti-MDA5 (CADM-140)

La versione italiana del testo è in allestimento.

Bibliografia

Chen F, Wang D, Shu X, Nakashima R, Wang G: Anti-MDA5 antibody is associated with A/SIP and decreased T cells in peripheral blood and predicts poor prognosis of ILD in Chinese patients with dermatomyositis. *Rheumatol Int* (2012) 32(12): 3.909 - 3.915 (PMID: [22198664](#)).

Chen Z, Cao M, Plana MN, Liang J, Cai H, Kuwana M, Sun L: Utility of anti-melanoma differentiation-associated gene 5 antibody measurement in identifying patients with dermatomyositis and a high risk for developing rapidly progressive interstitial lung disease: a review of the literature and a meta-analysis. *Arthritis Care Res* (2013); 65(8): 1.316 - 1.324 (PMID: [23908005](#)).

Florentino D, Chung L, Zwerner J, Rosen A, Casciola-Rosen L: The mucocutaneous and systemic phenotype of dermatomyositis patients with antibodies to MDA5 (CADM-140): a retrospective study. *J Am Acad Dermatol* (2011); 65(1): 25 - 34 (PMID: [21531040](#)).

Fujimoto M. Myositis-specific autoantibodies. *Brain Nerve* (2013); 65(4): 449 - 460 (PMID: [23568993](#)).

Gono T, Kawaguchi Y, Satoh T, Kuwana M, Katsumata Y, Takagi K, Masuda I, Tochimoto A, Baba S, Okamoto Y, Ota Y, Yamanaka H: Clinical manifestation and prognostic factor in anti-melanoma differentiation-associated gene 5 antibody-associated interstitial lung disease as a complication of dermatomyositis. *Rheumatology, Oxford* (2010); 49(9): 1.713 - 1.719 (PMID: [20498012](#)).

Gono T, Kawaguchi Y, Ozeki E, Ota Y, Satoh T, Kuwana M, Hara M, Yamanaka H: Serum ferritin correlates with activity of anti-MDA5 antibody-associated acute interstitial lung disease as a complication of dermatomyositis. *Mod Rheumatol* (2011); 21(2): 223 - 227 (PMID: [21052763](#)).

Gono T, Sato S, Kawaguchi Y, Kuwana M, Hanaoka M, Katsumata Y, Takagi K, Baba S, Okamoto Y, Ota Y, Yamanaka H: Anti-MDA5 antibody, ferritin and IL-18 are useful for the evaluation of response to treatment in interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis. *Rheumatology, Oxford* (2012); 51(9): 1.563 - 1.570 (PMID: [22589330](#)).

Horai Y, Isomoto E, Koga T, Okada A, Kawashiri SY, Tamai M, Yamasaki S, Nakamura H, Origuchi T, Hamaguchi Y, Fujimoto M, Kuwana M, Kawakami A: Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. *Mod Rheumatol* (2013); 23(1): 190 - 194 (PMID: [22460910](#)).

Hoshino K, Muro Y, Sugiura K, Tomita Y, Nakashima R, Mimori T: Anti-MDA5 and anti-TIF1-gamma antibodies have clinical significance for patients with dermatomyositis. *Rheumatology, Oxford* (2010); 49(9): 1.726 - 1.733 (PMID: [20501546](#)).

Koga T, Fujikawa K, Horai Y, Okada A, Kawashiri SY, Iwamoto N, Suzuki T, Nakashima Y, Tamai M, Arima K, Yamasaki S, Nakamura H, Origuchi T, Hamaguchi Y, Fujimoto M, Ishimatsu Y, Mukae H, Kuwana M, Kohno S, Eguchi K, Aoyagi K, Kawakami A: The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with DM. *Rheumatology, Oxford* (2012): 51(7): 1.278 - 1.284 (PMID: [22378718](#)).

Mimori T, Nakashima R, Hosono Y. Interstitial lung disease in myositis: clinical subsets, biomarkers, and treatment: *Curr Rheumatol Rep* (2012); 14(3): 264 - 274 (PMID: [22367479](#)).



Autoanticorpi anti-MDA5 (CADM-140)

Muro Y, Sugiura K, Akiyama M: Limitations of a single-point evaluation of anti-MDA5 antibody, ferritin, and IL-18 in predicting the prognosis of interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis. *Clin Rheumatol* (2013); 32(3): 395 -398 (PMID: [23250474](#)).

Nakashima R, Imura Y, Kobayashi S, Yukawa N, Yoshifuji H, Nojima T, Kawabata D, Ohmura K, Usui T, Fujii T, Okawa K, Mimori T: The RIG-I-like receptor IFIH1/MDA5 is a dermatomyositis-specific autoantigen identified by the anti-CADM-140 antibody. *Rheumatology, Oxford* (2010); 49(3): 433 - 440 (PMID: [20015976](#)).

Nakashima R, Mimori T: Nihon Rinsho Meneki Gakkai Kaishi. Anti-MDA5 (melanoma differentiation-associated gene 5) antibody and dermatomyositis with rapidly progressive interstitial pneumonia (2013); 36(2): 71 - 76 (PMID: [23629426](#)).

Sato S, Kuwana M, Fujita T, Suzuki Y: Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. *Mod Rheumatol* (2013); 23(3): 496 - 502 (PMID: [22644102](#)).

Tanizawa K, Handa T, Nakashima R, Kubo T, Hosono Y, Watanabe K, Aihara K, Oga T, Chin K, Nagai S, Mimori T, Mishima M: HRCT features of interstitial lung disease in dermatomyositis with anti-CADM-140 antibody. *Respir Med* (2011); 105(9): 1.380 - 1.387 (PMID: [21632230](#)).

Tansley SL, Betteridge ZE, McHugh NJ: The diagnostic utility of autoantibodies in adult and juvenile myositis. *Curr Opin Rheumatol* (2013); 25(6): 772 - 777 (PMID: [24047605](#)).

Sato S, Hirakata M, Kuwana M, Suwa A, Inada S, Mimori T, Nishikawa T, Oddis CV, Ikeda Y: Autoantibodies to a 140-kd polypeptide, CADM-140, in Japanese patients with clinically amyopathic dermatomyositis. *Arthritis Rheum* (2005); 52(5): 1.571 - 1.576 (PMID: [15880816](#)).

Sato S, Hoshino K, Satoh T, Fujita T, Kawakami Y, Fujita T, Kuwana M: RNA helicase encoded by melanoma differentiation-associated gene 5 is a major autoantigen in patients with clinically amyopathic dermatomyositis: Association with rapidly progressive interstitial lung disease. *Arthritis Rheum* (2009); 60(7): 2.193 - 2.200 (PMID: [19565506](#)).

Sato S, Kuwana M, Fujita T, Suzuki Y: Amyopathic dermatomyositis developing rapidly progressive interstitial lung disease with elevation of anti-CADM-140/MDA5 autoantibodies. *Mod Rheumatol* (2012); 22(4): 625 - 629 (PMID: [22124544](#)).

Sato S, Kuwana M, Fujita T, Suzuki Y: Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. *Mod Rheumatol* (2013); 23(3): 496 - 502 (PMID: [22644102](#)).

Zahn S, Barchet W, Rehkämper C, Hornung T, Bieber T, Tüting T, Wenzel J: Enhanced skin expression of melanoma differentiation-associated gene 5 (MDA5) in dermatomyositis and related autoimmune diseases. *J Am Acad Dermatol* (2011); 64(5): 988 - 989 (PMID: [21496705](#)).