



## Autoanticorpi anti-Nogo-A

La versione italiana del testo è in allestimento.

► Per ottenere la versione tedesca o inglese clicchi la bandiera a destra della testata.

### Bibliografia

Lucchinetti CF, Gavriloa RH, Metz I, Parisi JE, Scheithauer BW, Weigand S, Thomsen K, Mandrekar J, Altintas A, Erickson BJ, König F, Giannini C, Lassmann H, Linbo L, Pittock SJ, Brück W: Clinical and radiographic spectrum of pathologically confirmed tumefactive multiple sclerosis. *Brain* (2008); 131(Pt 7): 1759 - 1775 (PMID: [18535080](#)).

Nikolopoulos D, Fanouriakis A, Boumpas DT: Update on the pathogenesis of central nervous system lupus. *Curr Opin Rheumatol* (2019); 31(6): 669 - 677 (PMID: [31415031](#)).

Onoue H, Satoh JI, Ogawa M, Tabunoki H, Yamamura T: Detection of anti-Nogo receptor auto-antibody in the serum of multiple sclerosis and controls. *Acta Neurol Scand* (2007); 115(3): 153 - 160 (PMID: [17295709](#)).

Reindl M, Khantane S, Ehling R, Schanda K, Lutterotti A, Brinkhoff C, Oertle T, Schwab ME, Deisenhammer F, Berger T, Bandtlow CE: Serum and cerebrospinal fluid antibodies to Nogo-A in patients with multiple sclerosis and acute neurological disorders. *J Neuroimmunol* (2003); 145(1-2): 139 - 147 (PMID: [14644040](#)).

Stork L, Ellenberger D, Ruprecht K, Reindl M, Beißbarth T, Friede T, Kümpfel T, Gerdes LA, Gloth M, Liman T, Paul F, Brück W, Metz I: Antibody signatures in patients with histopathologically defined multiple sclerosis patterns. *Acta Neuropathol* (2020); 139(3): 547 - 564 (PMID: [31950335](#)).