



Interferon- α 8-Autoantikörper

Indikationen

- ▶ Autoimmunes polyglanduläres Syndrom I (APS I; APECEDS)
- ▶ Myasthenia gravis
- ▶ Thymom

Siehe auch

- ▶ [Autoantikörper bei autoimmunen polyendokrinen Syndromen](#)
- ▶ [Autoantikörper bei Erkrankungen der neuromuskulären Transmission](#)

Vorkommen

Tabelle 1 Krankheitsassoziationen von Autoantikörpern gegen Interferon- α 8

Krankheitsbilder	Autoren
Autoimmunes polyglanduläres Syndrom I (APS I)	Hapnes et al. 2012
Myasthenia gravis	Meager et al. 2003 Hapnes et al. 2012

Liste der weiteren Krankheitsassoziationen in Bearbeitung.

Literatur

Meager A, Wadhwa M, Dilger P, Bird C, Thorpe R, Newsom-Davis J, Willcox N: Anti-cytokine autoantibodies in autoimmunity: preponderance of neutralizing autoantibodies against interferon-alpha, interferon-omega and interleukin-12 in patients with thymoma and/or myasthenia gravis. Clin Exp Immunol (2003); 132(1): 128 - 136 (PMID: [12653847](#)).

Hapnes L, Willcox N, Oftedal BE, Owe JF, Gilhus NE, Meager A, Husebye ES, Wolff AS: Radioligand-binding assay reveals distinct autoantibody preferences for type I interferons in APS I and myasthenia gravis subgroups. J Clin Immunol (2012); 32(2): 230 - 237 (PMID: [22127461](#)).